


TEXCRETE

Fibre-cement casting mix

A thixotropic, quick setting, enhanced fibre-cement blend. Mixed with a solution of FlexBond for the saturation and impregnation of CemForce to form a reinforced product that can be cast into latex or silicone moulds. Produces castings of about 4 to 8 mm in thickness.



Creating distinctive cement finishes
as *unique* as you are.

ICEMCRETE[®]

Manufacturers of Distinctive Decorative Coatings



TexCrete basket



Benefits

- Moulding of lightweight small and large intricate castings where fine surface definition is required
- Can also be applied onto a layer of CemForce to create positive work, instead of casting into moulds

Specifications

Suitable Surfaces	Wood, rubber, latex, perspex or cardboard moulds
Finish	Will pick up the texture of the mould
Thickness	4-8mm
Application	Brush-on or spray-on
Packaging	40kg bags
Coverage	40kg of TexCrete will cover approximately 1.5m ² when applied 5mm thick
Curing	First allow work to completely dry out before immersing or wetting down with water. The longer this second wetting is carried out, the better the strengths achieved
Colour/s	Available in light colours like Ivory and Straw. TexCrete can be coloured in powder form with ColourCem. Or CreteStain can be used to add colour to TexCrete once dry.

Intended for use with

FlexBond	1, 5 and 20 litre plastic drums
CemForce	1m width with any length
Glass Fibre Mesh	1m widths up to 50m lengths
CreteStain	125ml, 1 litre and 25 litre non-returnable containers - approximately 8m ² /litre/coat

Tools needed

- Brush
- Low-pressure spray
- Trowel

Supporting Cemcrete Products

- CreteStain
- ColourCem
- Colour Hardener Sealer



Did you know

TexCrete is also available in a lightweight version, reducing the weight of the cured item by 50%.

TexCrete plant holders

The colours depicted are a guide only and Cemcrete recommends choosing colours from an actual on-site sample. Different sealing methods might also affect the final colour.



0860 CEMCRETE

info@cemcrete.co.za

www.cemcrete.co.za



blog.cemcrete.co.za

HEAD OFFICE

Showroom & Warehouse

8 Telford Street

Industria

(011) 474 2415

info@cemcrete.co.za

GAUTENG

Johannesburg Showroom

227 Jan Smuts Avenue

Parktown North

(011) 447 3149

jsa@cemcrete.co.za

Centurion Showroom & Warehouse

15 Coachmen's Park

26 Jakaranda Street

Centurion

(012) 653 6808

pretoria@cemcrete.co.za

CAPE TOWN

Showroom & Warehouse

Unit 3 Eagle Park

cnr Bosmansdam & Omuramba Roads

Montague Gardens

(021) 555 1034

cape@cemcrete.co.za

We have distributors nationally, in most African countries and internationally. Contact us to locate your nearest stockist or contractor.

CEMCRETE®

Manufacturers of Distinctive Decorative Coatings



On the cover:
TexCrete plant holders

The colours depicted are a guide only and Cemcrete recommends choosing colours from an actual on-site sample. Depth of pool and exposure to sunlight might also affect the final colour.